

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	reciprocating adj table adj saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/01 09:07
S2	1948	reciprocating adj saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/01 09:25
S3	22	table near (jig adj saw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/01 09:26
S4	11	((("4608893") or ("5666872") or ("6575070") or ("3939741") or ("4536145")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/06 10:34
S5	32	collapsible adj table adj legs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:36
S6	37076	Work adj surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:36
S7	1153	Work adj surface near table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:36
S8	117	Work adj surface near table with place\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:39
S9	28	attachable adj work adj surface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:43

EAST Search History

S10	0	motot adj mount with cam\$4 adj lever with latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:44
S11	1	motor adj mount with cam\$4 adj lever with latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:44
S12	2	motor adj mount with cam\$4 adj lever	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:44
S13	5	motor adj mount with cam\$4 with latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/06 10:45
S14	4	((("4757735") or ("4458569")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/20 11:29
S15	6	((("2695638") or ("6925919")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/20 11:33
S16	9	("2695638").URPN.	USPAT	OR	ON	2005/12/20 15:09
S17	1274	(work adj (bench or table)) with (plate or panel or slab)	USPAT	OR	ON	2005/12/20 15:11
S18	751	(work adj (bench or table)) with (plate or surface or slab ot panel) with (rail\$1 or support\$1)	USPAT	OR	ON	2005/12/20 15:12
S19	96	(work adj (bench or table)) with (plate or surface or slab ot panel) with (rail\$1 or support\$1) with (blade or saw or cut\$4)	USPAT	OR	ON	2005/12/20 15:28
S20	14	reciprocat\$4 with table adj saw	USPAT	OR	ON	2005/12/20 15:28
S21	7	("1861162" "2779359" "4123957" "4320679").PN. OR ("4458569").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:34

EAST Search History

S22	25	("0548453" "0825321" "1512781" "2457829" "3273613" "3864830" "4458569" "4592144" "4785536" "5027518" "5313709" "5435066" "5561909" "5607265" "5692426" "5791224").PN. OR ("6256891").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:36
S23	6	("2457829").URPN.	USPAT	OR	ON	2005/12/20 15:45
S24	11	((("4608893") or ("5666872") or ("6575070") or ("3939741") or ("4536145")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/21 09:48
S25	9	(Reciprocating or jig) adj saw with bracket near mount\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/21 09:48
S26	168	(reciprocating adj saw) with (adjustable or angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/21 10:05
S27	94	"144"/\$.ccls. and reciprocating adj saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/21 10:07
S28	54	reciprocating adj saw with (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:05
S29	140	(work adj (table or bench) with mounting near plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/21 10:10
S30	0	reciprocating adj saw with oscillate with degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:06
S31	5	reciprocating adj saw with oscillate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:07

EAST Search History

S32	12	saw with oscillate with degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:08
S33	961	saw and oscillat\$3 with degrees	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:09
S34	100	saw with oscillat\$3 with degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:09
S35	97	saw with oscillat\$3 with degree\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:43
S36	24	saw with degree\$1 near blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:44
S37	28	saw with adjustable with angle near blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 10:54
S38	143	83/568.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:24
S39	3254	quick adj release near mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:25
S40	3107	quick adj release adj mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:25
S41	89	quick adj release adj mechanism with bracket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:28

EAST Search History

S42	1	quick adj release adj mechanism with mount with (saw or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:28
S43	16	quick adj release adj mechanism with (mount\$3 or bracket) with (saw or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:33
S44	15	quick adj release adj mechanism with saw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:35
S45	11	quick adj release adj mechanism with tool with change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:36
S46	186	quick adj release adj mechanism with tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 11:39
S47	28	quick adj release with tool near chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:38
S49	1620	quick adj release with handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:38
S50	134	quick adj release with handle with tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:56
S52	2	mounting near plate with saw with (cast or weldment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:58
S53	789	mounting near plate with (cast or weldment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:58

EAST Search History

S54	736	mounting adj plate with (cast or weldment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:58
S55	20	mounting adj plate with (cast or weldment) with (tool or saw or blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/22 13:59
S56	9	("4484608" "4635692" "4679606" "4774986" "4977938" "5289861" "5398740" "6305447" "6382276").PN. OR ("6520224").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:04
S57	0	(cast or weldment) with ("4484608" "4635692" "4679606" "4774986" "4977938" "5289861" "5398740" "6305447" "6382276").PN. OR ("6520224").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:04
S58	0	(cast or weldment or material) with ("4484608" "4635692" "4679606" "4774986" "4977938" "5289861" "5398740" "6305447" "6382276").PN. OR ("6520224").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:04
S59	8	(cast or weldment or material) and ("4484608" "4635692" "4679606" "4774986" "4977938" "5289861" "5398740" "6305447" "6382276").PN. OR ("6520224").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:09
S60	0	rue.in. near jerru	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:09
S61	3	rue.in. near jerry	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 14:29
S62	611	(83/574).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/22 14:29
S63	2	("5725038").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/01 17:56

EAST Search History

S64	25	("2615479" "2776682" "5025841" "5289861" "5398740").PN. OR ("5725038").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/01 17:56
S65	2	("2949943").URPN.	USPAT	OR	ON	2006/05/01 18:01
S66	560	83/471.3.ccls.	USPAT	OR	ON	2006/05/02 10:55
S67	60	83/472.ccls.	USPAT	OR	ON	2006/05/02 11:04
S68	301	144/130.ccls.	USPAT	OR	ON	2006/05/02 11:06
S69	178	144/146.ccls.	USPAT	OR	ON	2006/05/02 11:07
S70	84	144/147.ccls.	USPAT	OR	ON	2006/05/02 11:27
S71	399	30/392.ccls.	USPAT	OR	ON	2006/05/02 11:27
S72	20	30/392-394.ccls. and ((angle or degree\$1) near (blade or adjustable))	USPAT	OR	ON	2006/05/02 11:30
S73	1	"3,802,079".pn.	USPAT	OR	ON	2006/05/02 11:30



[Home](#) | [Membership Login](#)
[Products](#) | [Cordless](#) | [Woodworking](#) | [Jobsite Security](#) | [Gear/Guides](#) | [Racing/Events](#) | [Service](#)
[Product Catalog](#) | [All Products at a Glance](#) | [New Products](#) | [Product Virtual Tours](#) | [Testimonials](#) | [Warranty](#)

 Search [Go](#) [Advanced Search](#)
[All Products at a](#)

May 2

You Are Here: [Product Catalog](#) > [Saws](#) > [Reciprocating Saws](#)

Heavy-Duty Reciprocating Saw Kit - DW309K

[View attachments for this tool](#)
[Printer-friendly version](#)
[Download User Manual \(PDF\)](#)
[Email this tool to a friend](#)


Features:

- Powerful 11.8 Amp motor designed for heavy-duty applications
- Lever-action keyless blade clamp for quick and easy blade changing
- Counter-balance mechanism minimizes vibration and reduces user fatigue
- 0-2,900 strokes per minute and 1-1/4" stroke length deliver fast cutting
- Variable speed dial and trigger provide efficient cutting speed with improved control
- Push-button adjustable shoe easily adjusts depth of cut and extends blade life

[Click To Enlarge Photo](#)
[See more detailed photos on this product](#)
[Buy Now Online](#)
[Warranty Information](#)

SPECIFICATIONS

Amps	11.8 Amps
Strokes/Min	0-2,900 spm
Stroke Length	1-1/4 "
Keyless Blade Clamp	Yes
4 Position Blade Clamp	N/A
Orbital Action	N/A
Counter Balance	Yes
Adjustable Shoe	Yes
Variable Speed Dial	Yes
Tool Length	17.5 "
Tool Weight	8.4 lbs

Includes:

- metal cutting blade
- heavy-duty kit box

To send this page to a friend, just enter the email address below.

Your email:

Friend's email:

Message:

Or, you can also print this page.

Click the button below to bring up a new "printer-friendly version" window to print this page..

[Print](#)
[Related Accessories](#)
[Reciprocating Blades](#)
[Related Tools](#)
[DW307MK Heavy-Duty Reciprocating Saw Kit](#)




[Products](#) [Cordless](#) [Woodworking](#) [Jobsite Security](#) [Gear/Guides](#) [Racing/Events](#) [Service](#)

[Product Catalog](#) [All Products at a Glance](#) [New Products](#) [Product Virtual Tours](#) [Testimonials](#) [Warranty](#)

Search [Go](#) [Advanced Search](#)

[All Products at a](#)

May 2

You Are Here: [Product Catalog](#) > [Saws](#) > [Jig Saws](#)

Heavy-Duty Variable Speed Top-Handle Jigsaw - DW331K


[View attachments for this tool](#)

[Printer-friendly version](#)

[Email this tool to a friend](#)

Related Accessories

**Jigsaw/ Saber
Blades**



[Click To Enlarge Photo](#)

[See more detailed photos on this product](#)

[Buy Now Online](#)

Features:

- Powerful 6.5A motor delivers the cutting power for the most demanding materials
- Variable strokes per minute delivers optimal cutting speed for all applications
- Lever-action keyless blade change makes blade replacement fast and easy
- All metal gear case and keyless blade lever enhance tool durability in a professional shop environment
- 4-position orbital action allows for faster, more aggressive cuts
- Innovative flush cutting blade system allows for the completion of flush cuts without up cutting
- Positive bevel detents ensure accuracy at the most common angles 0, 15, 30, and 45
- Counter-balance mechanism reduces vibration and user fatigue
- Extra-large rubber grip dampens vibration and provides comfort during prolonged use
- Integrated dust blower maintains visibility of cut line
- Non-marring shoe cover protects soft or glossy materials from scratches from the shoe

[Warranty Information](#)

SPECIFICATIONS

Strokes/Min	500-3,100 spm
Stroke Length	1"
Keyless Blade Clamp	Yes
Dust Blower	Yes
Orbital Action	4 position
Tool Weight	6.4 lbs
Shipping Weight	10.5 lbs
Amps	6.5 Amps

Includes:

- blades
- heavy-duty kit box


[Home](#) | [Membership Login](#)
[Products](#) . [Cordless](#) . [Woodworking](#) . [Jobsite Security](#) . [Gear/Guides](#) . [Racing/Events](#) . [Service](#)
[Product Catalog](#) | [All Products at a Glance](#) | [New Products](#) | [Product Virtual Tours](#) | [Testimonials](#) | [Warranty](#)

 Search [Go](#) [Advanced Search](#)
[All Products at a](#)

Ma

[Related/Accessories](#)
[Jigsaw/ Saber
Blades](#)

[Related Tools](#)


DC5KITA
Heavy-Duty X
Cordless
Hammerdrill/E
Saw/Reciproc
Saw/Flexible
Kit



DC987KA
Heavy-Duty X
1/2" (13mm)
Drill/Driver Kit



DC618KA
Heavy-Duty X
16-Gauge 20"
Nailer Kit


[Click To Enlarge Photo](#)
[See more detailed
photos on this product](#)
[Buy Now Online](#)
[View attachments for this tool](#)
[Printer-friendly version](#)
[Email this tool to a friend](#)

Features:

- All-metal lever-action keyless blade change allows for quick and easy blade changes
- All-metal keyless shoe bevel with detents at 0, 15, 30 and 45 degrees provides versatility for easy bevel cutting
- 4-Position orbital action provides control of cut quality and speed
- Adjustable dust blower keeps line of cut clear of chips
- Variable speed 0-3,000 SPM for versatility in a multitude of materials and applications
- XRP™ extended run-time battery provides long run-time & battery life
- Anti-slip comfort grip for increased comfort and control

Warranty Information

SPECIFICATIONS

Voltage
Strokes/Min
Stroke Length
Keyless Blade Clamp
Dust Blower
Tool Weight
Shipping Weight

18 V
0-3,000 spm
1"
Yes
Yes
7.5 lbs
12.75 lbs

Includes:

- 1 hour charger
- 18V XRP™ battery pack
- jig saw blades
- heavy-duty kit box

